

L Number	Hits	Search Text	DB	Time stamp
-	8131	modem with processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:01
-	35863	modem with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 14:56
-	3058	modem with (deactivat\$3 or off)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:00
-	2086	(modem with data) and (modem with (deactivat\$3 or off))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 14:59
-	507643	power adj supply	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:00
-	53061	(power adj supply) with (deactivat\$3 or off)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:00
-	6	(modem with data) with reciev\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:02
-	0	(modem with (deactivat\$3 or off)) with reciev\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:02
-	641	(modem with (deactivat\$3 or off)) with receiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:03
-	12662	(modem with data) with receiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:02
-	252	((modem with (deactivat\$3 or off)) with receiv\$4) with (modem with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:03
-	3151	modem near3 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:02
-	250375	inactiv\$4 or deactiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:18
-	603	modem adj processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:50

-	145	(modem adj processor) with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 13:33
-	3178	(inactiv\$4 or deactiv\$4) with processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:19
-	26	((inactiv\$4 or deactiv\$4) with processor) with modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:19
-	1	5727020.URPN.	USPAT	2003/01/29 14:25
-	18	("4418320" "4630314" "4646329" "4665519" "4682344" "4893347" "4951309" "4987571" "5020093" "5138328" "5230094" "5231647" "5313211" "5317707" "5347304" "5428790" "5444737" "5555287").PN.	USPAT	2003/01/29 14:25
-	2	5169531.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:48
-	111	(Research In Motion Limited).asnm. and (Waterloo).ascii.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 09:27
-	207564	power with consumption	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:56
-	13664	power with management	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:55
-	10694	modem.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:57
-	267	(power with consumption) and modem.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:57
-	62	(power with management) and modem.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:04
-	11644	modem same (memory with (communication or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:10
-	3596	(modem same (memory with (communication or data))) same processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:11

-	2100	modem same (memory with (communication and data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/29 16:11
-	462	modem same processor same (memory with (communication and data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/29 16:12
-	35	(modem same processor same (memory with (communication and data))) and ((power with consumption) or (power with management))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/29 16:15
-	46	(processor with off) and (processor with on)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/29 16:16
-	1059	(processor with deactivat\$3) and (processor with activat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/29 16:16
-	149	((processor with off) and (processor with on)) or ((processor with deactivat\$3) and (processor with activat\$3)) and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/29 16:17
-	18	(Research In Motion Limited).asnm. and (Waterloo).ascii. and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/30 09:27
-	2049	(Research In Motion Limited).asnm. and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/30 10:04
-	22	(Research adj In adj Motion adj Limited).asnm. and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/30 09:29
-	466	((non\$1volitile or flash) adj memory) with modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/30 15:25
-	81	((non\$1volitile or flash) adj memory) with modem) same processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/30 15:26
-	792	((non\$1volatile or flash) adj memory) with modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/30 15:26
-	156	((non\$1volatile or flash) adj memory) with modem) same processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/30 15:35
-	38531	(inactive or nonactive or unpower\$4 or off) with (processor or microprocessor or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/30 15:46

-	377	((non\$1volatile or flash) adj memory) with modem) same (processor or microprocessor or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:35
-	53	((inactive or nonactive or unpower\$4 or off) with (processor or microprocessor or cpu)) and (((non\$1volatile or flash) adj memory) with modem) same (processor or microprocessor or cpu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:47
-	41064	(inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) with (processor or microprocessor or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:47
-	53	((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) with (processor or microprocessor or cpu)) and (((non\$1volatile or flash) adj memory) with modem) same (processor or microprocessor or cpu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:34
-	41064	((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) with (processor or microprocessor or cpu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:35
-	26529	((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) near7 (processor or microprocessor or cpu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:35
-	47659	modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:45
-	2190	((((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) near7 (processor or microprocessor or cpu))) and (modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:45
-	8301	(modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)) with (processor or microprocessor or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:46
-	991	((((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) near7 (processor or microprocessor or cpu))) and ((modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)) with (processor or microprocessor or cpu)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:52
-	30618	modem.ti. or modem.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:52
-	221	((((inactiv\$5 or nonactive or deactiv\$5 or unpower\$4 or off) near7 (processor or microprocessor or cpu))) and ((modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)) with (processor or microprocessor or cpu))) and (modem.ti. or modem.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 09:05
-	114	((((sleep) near7 (processor or microprocessor or cpu))) and ((modem with (receiv\$4 or transfer\$4 or communicat\$3 or stor\$3 or sav\$3)) with (processor or microprocessor or cpu)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 09:11

-	14	("4058838" "4519068" "4569421" "4628193" "4680787" "4761822" "4806906" "4850009" "4916441" "4969206" "5008879" "5033109" "5055660" "5117501").PN.	USPAT	2003/01/31 13:46
-	6	5680633.URPN.	USPAT	2003/01/31 13:47
-	18	("4418320" "4630314" "4646329" "4665519" "4682344" "4893347" "4951309" "4987571" "5020093" "5138328" "5230094" "5231647" "5313211" "5317707" "5347304" "5428790" "5444737" "5555287").PN.	USPAT USPAT	2003/01/31 13:52
-	1	5727020.URPN.	USPAT	2003/01/31 13:52
-	14	((("4418320" "4630314" "4646329" "4665519" "4682344" "4893347" "4951309" "4987571" "5020093" "5138328" "5230094" "5231647" "5313211" "5317707" "5347304" "5428790" "5444737" "5555287").PN.) and modem	USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 13:53
-	4	("4521891" "5631952" "5903601" "5931950").PN.	USPAT	2003/01/31 13:55
-	0	6301297.URPN.	USPAT	2003/02/05 15:22
-	1	6167078.URPN.	USPAT	2003/01/31 14:02
-	3	("4521891" "5903601" "5931950").PN.	USPAT	2003/01/31 14:04
-	2	6055591.URPN.	USPAT	2003/01/31 14:05
-	7	("5161184" "5167024" "5606560" "5724413" "5822692" "5903765" "5909488").PN.	USPAT	2003/01/31 14:07
-	1	6418533.PN.	USPAT	2003/02/05 15:22
-	18	("4614945" "4794368" "4897662" "4959860" "5046082" "5142691" "5388156" "5418537" "5574786" "5635940" "5712973" "5748084" "5757271" "5757916" "5963142" "5970227" "5987609" "6087937").PN.	USPAT USPAT	2003/02/05 15:35
-	7	((("4614945" "4794368" "4897662" "4959860" "5046082" "5142691" "5388156" "5418537" "5574786" "5635940" "5712973" "5748084" "5757271" "5757916" "5963142" "5970227" "5987609" "6087937").PN.) and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/07 15:38
-	8764	(computer or processor or cpu) with (inactive or sleep or suspended)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:57
-	1465	modem same ((non\$1volatile or pesistent) near3 memory)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:55
-	2	modem same ((non\$1volitile or pesistent)near3 memory)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:55
-	44	((computer or processor or cpu) with (inactive or sleep or suspended)) and (modem same ((non\$1volatile or pesistent) near3 memory))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:57
-	10208	(computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:57

-	52	((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem same ((non\$1volatile or pesistent) near3 memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:50
-	1708	((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:52
-	811	713/323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:50
-	685	713/324	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:50
-	788	713/320	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:50
-	1384	713/300	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:52
-	374	((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem with (stor\$3 or sav\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:58
-	2320	713/323 713/324 713/320 713/300	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:54
-	648	(713/323 713/324 713/320 713/300) and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:57
-	291	(713/323 713/324 713/320 713/300) and (modem same memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:57
-	239	(713/323 713/324 713/320 713/300) and ((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:59
-	30	((("4614945" "4794368" "4897662" "4959860" "5046082" "5142691" "5388156" "5418537" "5574786" "5635940" "5712973" "5748084" "5757271" "5757916" "5963142" "5970227" "5987609" "6087937").PN.) and (stor\$3 or sav\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/07 15:39